

Toll Free Phone 2316 23<sup>rd</sup> Ave Rockford, IL 61104 (800) 562-1868 (815) 316-4700 custserve@rodix.com www.rodix.com



**CONTROL PRODUCTS FOR INDUSTRY** 

# RODIX, INC. ELECTROMAGNETIC COIL LIST

Thank you for choosing Rodix

All Rodix coils are UL/cUL recognized. Most of the standard 120V & 240V models are kept in stock and ready to ship same day. Each set of coils is available for you to browse within this document by typical application. Each coil's datasheet is available online at the product's homepage. Should you have any questions, please reach out to us directly at custserve@rodix.com or calling Toll Free 1-800-562-1868.

#### Current pricing, quoting, and ordering is available directly online by registering at www.rodix.com

#### Important Note on CE Compliant Coils

Coils marked "CE Compliant" coils meet the CE requirements for incorporation into CE marked machines having an EU harmonized power cord & appropriate internal insulation.

#### Table of Contents

STANDARD INLINE COILS	2
MULTI-HANGER INLINE COILS	3
MINI MULTI-HANGER INLINE COILS	4
DRIVE BASE COILS – Mini 6" Drives	5
DRIVE BASE COILS – Small 8" and 10" Drives	6
DRIVE BASE COILS – Large 12" and 15" Drives	7
DRIVE BASE COILS – Ex-Large 18" to 36" Drives	8
DRIVE BASE COILS – X-Large High Speed Coils	9
HOPPER COILS	10

R w

RODIX, INC. www.rodix.com

# **STANDARD INLINE COILS**



Description	Mounting Holes
Std Inline Coil, 120V, with 6' cord & plug	10-32 UNF
Std Inline Coil, 240V, with 6' yellow cord	10-32 UNF
Std Inline Coil, Metric, 120V, with 6' Cord	M5 x 0.8
Std Inline Coil, Metric, 240V, with 6' Cord	M5 x 0.8
45 to to 90 of of to to	2.000
	Std Inline Coil, 120V, with 6' cord & plug Std Inline Coil, 240V, with 6' Yellow cord Std Inline Coil, Metric, 120V, with 6' Cord Std Inline Coil, Metric, 240V, with 6' Cord

All dimensions in inches unless otherwise noted For Metric Tap sizes, refer to chart **All coils are UL/cUL recognized**  Page **2** of **10** 

R .

RODIX, INC. www.rodix.com

### **MULTI-HANGER INLINE COILS**




		_
Part Number	Description	Mounting Holes
006-042-0124	Std Multi-Hanger Inline Coil, 120V, with 6' cord & plug	5/16-24 UNF
006-042-0125	Std Multi-Hanger Inline Coil, 240V, with 6' yellow cord	5/16-24 UNF
006-042-0138	Std Multi-Hanger Inline Coil, 120V, CE Compliant 6' cord	5/16-24 UNF
006-042-0136	Std Multi-Hanger Inline Coil, 240V, CE Compliant 8' cord	1/4-28 UNF
	2.88 2.88 J.50 J	2.16


All dimensions in inches unless otherwise noted For Metric Tap sizes, refer to chart **All coils are UL/cUL recognized**  Page **3** of **10** 


#### **MINI MULTI-HANGER INLINE COILS**




Part Number	Description	Mounting Holes
006-042-0115	Mini Multi-Hanger Inline Coil, 120V, with 6' cord & plug	N/A
006-042-0128	Mini Multi-Hanger Inline Coil, 240V, with 6' yellow cord	N/A
006-042-0141	Mini Multi-Hanger Inline Coil, 120V, CE Compliant 8' cord	N/A
006-042-0137	Mini Multi-Hanger Inline Coil, 240V, CE Compliant 8' cord	N/A









All dimensions in inches unless otherwise noted For Metric Tap sizes, refer to chart **All coils are UL/cUL recognized**  Page **4** of **10** 

R .

RODIX, INC. www.rodix.com

### **DRIVE BASE COILS – Mini 6" Drives**



Part Number	Description	Mounting Holes
006-042-0093	Coil, Mini (6" Drives), 120V, with 16" gray cord	1/4-20 UNC
006-042-0102	Coil, Mini (6" Drives), 120V, with 6' cord & plug	1/4-20 UNC
006-042-0096	Coil, Mini (6" Drives), 240V, with 16" yellow cord	1/4-20 UNC
006-042-0098	Coil, Mini (6" Drives), Metric, 120V, with 16" gray cord	M6 x 1
006-042-0105	Coil, Mini (6" Drives), Metric, 240V, CE Compliant 21" cord	M6 x 1
	1.87 2.50 1.25 1.25 1.25 1.4-20 UNC <hole-depth> .38</hole-depth>	
-	1.88	
		38 75 50

All dimensions in inches unless otherwise noted For Metric Tap sizes, refer to chart All coils are UL/cUL recognized Page **5** of **10** 


R.


RODIX, INC. www.rodix.com




# DRIVE BASE COILS – Small 8" and 10" Drives

Part Number	Description	Mounting Holes	
006-042-0078	Coil, Small (8" and 10" Drives), 120V, with 21" gray cord	1/4-20 UNC	
006-042-0104	Coil, Small (8" and 10" Drives), 120V, with 6' cord & plug	1/4-20 UNC	
006-042-0087	Coil, Small (8" and 10" Drives), 240V, with 21" yellow cord	1/4-20 UNC	
006-042-0112	Coil, Small (8" and 10" Drives), 120V, Metric, with 21" gray cord	M6 x 1	
006-042-0113	Coil, Small (8" & 10" Drives), Metric, 240V, CE Compliant 21" cord	M6 x 1	







All dimensions in inches unless otherwise noted For Metric Tap sizes, refer to chart All coils are UL/cUL recognized Page 6 of 10



### DRIVE BASE COILS – Large 12" and 15" Drives

Part Number	Description	Mounting Holes
006-042-0080		3/8-24 UNF
006-042-0088	6-042-0088 Coil, Large (12" & 15" Drives), 240V, with 36" yellow cord	
006-042-0120	Coil, Large (12" & 15" Drives), Metric, 120V, with 36" cord	M10 x 1
	Coil, Large (12" & 15" Drives), Metric, 240V, CE Compliant 36" cord	M10 x 1
	2.75 2.75 2.50 2.50 3.00	

All dimensions in inches unless otherwise noted For Metric Tap sizes, refer to chart **All coils are UL/cUL recognized**  Page **7** of **10** 



# DRIVE BASE COILS – Ex-Large 18" to 36" Drives


Part Number	Description	Mounting Holes
006-042-0081	Coil, Ex-Large (18" to 36" Drives), 120V, with 5' gray cord	3/8-24 UNF
006-042-0089	Coil, Ex-Large (18" to 36" Drives), 240V, with 5' yellow cord	3/8-24 UNF
006-042-0118	Coil, Ex-Large (18" to 36" Drives), 120V, CE Compliant 8'cord	3/8-24 UNF
006-042-0123	Coil, Ex-Large (18" to 36" Drives), 240V, CE Compliant 8' cord	3/8-24 UNF
006-042-0107	*Custom Ex-Large (18" to 36" Drives), 120V, with 5' gray cord	*3/8-24 UNF with 3" spacing
	3/8-24 UNF <hole-depth> .50</hole-depth>	
	-4.00 -2.500 -2.500 -2.500 	

All dimensions in inches unless otherwise noted For Metric Tap sizes, refer to chart **All coils are UL/cUL recognized**  Page **8** of **10** 

www.rodix.com



### **DRIVE BASE COILS – X-Large High Speed Coils**



# **HOPPER COILS**



Part Number	Description	Mounting Holes
006-042-0110	Hopper Coil, 120V, with 6' cord & plug	N/A
006-042-0126	Hopper Coil, 240V, with 6' yellow cord	N/A
006-042-0127	Hopper Coil, 120V, with CE Compliant 8' cord	N/A
006-042-0134	Hopper Coil, 230V, with CE Compliant 8' cord	N/A
		-

